UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/611,593	06/30/2003	Marie-Laure Lesaicherre	6565-66285/RJP	5201
7590 09/05/2008 KLARQUIST SPARKMAN CAMPBELL LEIGH & WHINSTON, LLP			EXAMINER	
			YANG, NELSON C	
One World Trade Center 121 S.W. Salmon Street, Suite 1600			ART UNIT	PAPER NUMBER
Portland, OR 97204			1641	
			MAIL DATE	DELIVERY MODE
			09/05/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/611,593	LESAICHERRE ET AL.		
Office Action Summary	Examiner	Art Unit		
	Nelson Yang	1641		
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the o	correspondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DOWN THE MAILING DOWN THE MAILING DOWN THE MAILING DOWN THE MERICAL STATE OF TH	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tinwill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. ED (35 U.S.C. § 133).		
Status				
1) Responsive to communication(s) filed on 11 Ju	action is non-final.			
Disposition of Claims				
4) ☐ Claim(s) 1-4 and 6-20 is/are pending in the ap 4a) Of the above claim(s) 17-20 is/are withdrav 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-4 and 6-16 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	vn from consideration.			
Application Papers				
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on 30 June 2003 is/are: a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Ex)☑ accepted or b)☐ objected to drawing(s) be held in abeyance. Se tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate		

Application/Control Number: 10/611,593 Page 2

Art Unit: 1641

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on June 11, 2008 has been entered.

Response to Amendment

- 2. Applicant's amendment of claims 1, 2, 4, 6, 9-10, 13, 16 is acknowledged and has been entered.
- 3. Applicant's cancellation of claim 5 is acknowledged and has been entered.
- 4. Claims 1-4, 6-16 are currently under examination.
- 5. Claims 17-20 are withdrawn.

Rejections Withdrawn

6. Applicant's arguments, see amended claims, filed June 11, 2008, with respect to the rejection of claims 1-3, 9, and 10 under 35 U.S.C. 102(b) as being anticipated by Nock et al. [US 2002/0049152] have been fully considered and are persuasive. The rejection of claims 1-3, 9, and 10 under 35 U.S.C. 102(b) as being anticipated by Nock et al. [US 2002/0049152] has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view

Art Unit: 1641

of Eaton et al. [Eaton et al., S-Thiolation of HSP27 regulates its multimeric aggregate size independently of phosphorylation. 2002, 277(24): pp.21189-21196] as discussed below.

Claim Rejections - 35 USC § 103

- 7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 8. Claims 1-3, 9, and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nock et al. [US 2002/0049152] in view of Eaton et al. [Eaton et al., S-Thiolation of HSP27 regulates its multimeric aggregate size independently of phosphorylation. 2002, 277(24): pp.21189-21196].

With respect to claims 1, 9, Nock et al. teach a method of immobilizing a polypeptide to a surface using mutant inteins (para. 0045) comprising cysteine, serine or threonine (para. 0057), wherein the amino-terminal end of the intein is capable of splicing of the N-extein to the C-extein, forming thioesters with an activating compound at the end of the extein (para. 0057-0059). Specifically, Nock et al. teach expressing a chimeric gene that encodes a fusion protein which comprises a polypeptide and an intein (para. 0013), attaching anchor molecules to the polypeptides and anchoring the polypeptides to a surface (para. 0014). Nock et al. fail to teach that the cysteine is biotinylated.

Eaton et al., however teach that biotinylated cystein acts as a probe for thiolated proteins, which are detected using non-reducing Western blots probed with streptavidin horseradish

peroxidase. Nock et al. also teach that tags may be used to attach the polypeptides to the surface to form arrays or for purification of the polypeptides (para. 0065), wherein the tags may be avidin (claim 12), which would bind to biotin.

Therefore, one of ordinary skill in the art at the time of the invention would have been motivated to use a biotinylated cysteine to splice the fusion protein of Nock et al., as suggested by Eaton et al., as this would allow for the following step of detection of the thiolated polypeptide such as with the use of non-reducing Western blots probed with streptavidin horseradish peroxidase. This would also accomplish the goal of allowing the polypeptides to be attached to the surface of an array using avidin tags.

- 9. With respect to claims 2, 10, Nock et al. teach that tags may be used to attach the polypeptides to the surface to form arrays or for purification of the polypeptides (para. 0065), wherein the tags may be avidin (claim 12), which would bind to biotin.
- 10. With respect to claim 3, the substrate of the array may be glass (para. 0119).
- 11. Claims 4, 11 are rejected under 35 U.S.C. 103(a) as being unpatentable Nock et al. [US 2002/0049152] in view of Eaton et al. [Eaton et al., S-Thiolation of HSP27 regulates its multimeric aggregate size independently of phosphorylation. 2002, 277(24): pp.21189-21196], as applied to claims 1, 9 above, and further in view of Duan [US 6,951,742].

With respect to claims 4, 11 Nock et al. teach a method of immobilizing a polypeptide to a surface using mutant inteins (para. 0045), wherein the amino-terminal end of the intein is capable of splicing of the N-extein to the C-extein, forming thioesters with an activating compound at the end of the extein (para. 0059). Specifically, Nock et al. teach expressing a chimeric gene that encodes a fusion protein which comprises a polypeptide and an intein (para.

0013), attaching anchor molecules to the polypeptides and anchoring the polypeptides to a surface (para. 0014). Nock et al. fail to teach that the proteins are expressed by a pTYB1 expression vector.

Duan, however, teaches the use of pTYB1 vectors to express fusion proteins, and further teach that pTYB1 vectors allow the cloning of a target gene immediately adjacent to the intein cleavage site, which results in the purification of a native target protein without any vector derived extra residues after the cleavage (column 32, lines 52-65).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use a pTYB1 expression vector to express the fusion proteins of Nock et al., as suggested by Duan, in order to allow the cloning of a target gene immediately adjacent to the intein cleavage site, allowing for the purification of a native target protein without any vector derived extra residues after the cleavage.

12. Claims 6-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nock et al. [US 2002/0049152] in view of Eaton et al. [Eaton et al., S-Thiolation of HSP27 regulates its multimeric aggregate size independently of phosphorylation. 2002, 277(24): pp.21189-21196], as applied to claim 2 above, and further in view of Bradley et al. [US 2002/0006623].

With respect to claims 6, 7, Nock et al. teach a method of immobilizing a polypeptide to a surface using mutant inteins (para. 0045), wherein the amino-terminal end of the intein is capable of splicing of the N-extein to the C-extein, forming thioesters with an activating compound at the end of the extein (para. 0059). Specifically, Nock et al. teach expressing a chimeric gene that encodes a fusion protein which comprises a polypeptide and an intein (para. 0013), attaching

anchor molecules to the polypeptides and anchoring the polypeptides to a surface (para. 0014). Nock et al. fail to teach that the glass support is derivatized with an epoxy silane compound such as glycidoxypropyl trimethoxysilane.

Page 6

Bradley et al., however, teach the dervizatization of glass supports with glycidoxypropyl trimethoxysilane (para. 0127), and further teach that glycidoxypropyl trimethoxysilane is rapid, and occurs under very mild conditions using a minimum of inexpensive reagents (para. 0128).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have derivatized the glass supports of Nock et al. with glycidoxypropyl trimethoxysilane, as suggested by Bradley et al., in order to be able to attach ligands to the glass support rapidly, and under very mild conditions while using a minimum of inexpensive reagents, which would render it cheaper, quicker, and simpler that other methods.

- 13. With respect to claim 8, Nock et al. teach streptavidin (claim 12).
- 14. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nock et al. [US 2002/0049152] in view of Eaton et al. [Eaton et al., S-Thiolation of HSP27 regulates its multimeric aggregate size independently of phosphorylation. 2002, 277(24): pp.21189-21196] and in view of Duan [US 6,951,742] as applied to claim 11 above, and further in view of Inoue et al. [US 2002/0123101].

With respect to claim 12, Nock et al. teach a method of immobilizing a polypeptide to a surface using mutant inteins (para. 0045), wherein the amino-terminal end of the intein is capable of splicing of the N-extein to the C-extein, forming thioesters with an activating compound at the end of the extein (para. 0059). Specifically, Nock et al. teach expressing a chimeric gene that

Art Unit: 1641

encodes a fusion protein which comprises a polypeptide and an intein (para. 0013), attaching anchor molecules to the polypeptides and anchoring the polypeptides to a surface (para. 0014). Nock et al. fail to teach that or that the fusion protein is contacted with a chitin column.

Inoue et al., however, teach that chitin column are commonly used for purification of proteins. (para. 0217).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention for Kurz et al. and Duan to have the fusion proteins come in contact with a chitin column, in order to purify the protein, as suggested by Inoue et al., so that there would be no contaminants that would potentially interfere and contaminate the protein array, thus allowing for better quality in the protein arrays produced.

15. Claims 13-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nock et al. [US 2002/0049152] in view of Eaton et al. [Eaton et al., S-Thiolation of HSP27 regulates its multimeric aggregate size independently of phosphorylation. 2002, 277(24): pp.21189-21196], Duan [US 6,951,742] and Inoue et al. [US 2002/02123101], as applied to claim 12 above, and further in view of Xu et al. [US 7,001,745].

With respect to claim 13, Nock et al. teach a method of immobilizing a polypeptide to a surface using mutant inteins (para. 0045), wherein the amino-terminal end of the intein is capable of splicing of the N-extein to the C-extein, forming thioesters with an activating compound at the end of the extein (para. 0059). Specifically, Nock et al. teach expressing a chimeric gene that encodes a fusion protein which comprises a polypeptide and an intein (para. 0013), attaching

anchor molecules to the polypeptides and anchoring the polypeptides to a surface (para. 0014).

Nock et al. fail to teach adding the cystein-biotin to a chitin column.

Xu et al., however, teach that the chitin column allows for tagged proteins to be isolated during ligation procedures (column 6, lines 35-45).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have used a chitin column in the method of Nock et al., in order to allow the biotin-cysteine tagged polypeptides of Nock et al. to be isolated from the rest of the composition.

- 16. With respect to claim 14, Nock et al. teach substrates comprising glass (para. 0119).
- 17. With respect to claim 15, Nock et al. teach streptavidin (claim 12).
- 18. With respect to claim 16, Duan teaches spotting the protein onto a solid surface to form an array (column 37, lines 1-25).

Response to Arguments

19. Applicant's arguments with respect to claims 1-4, 6-16 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

- 20. No claims are allowed.
- 21. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nelson Yang whose telephone number is (571)272-0826. The examiner can normally be reached on 8:30-5:00.

Application/Control Number: 10/611,593 Page 9

Art Unit: 1641

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long V. Le can be reached on (571)272-0823. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

22. Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Nelson Yang/

Patent Examiner, Art Unit 1641